

MEMORANDUM

TO	Dawn MacNeil, STPA	FILE NO.	S-1573-18
FROM	Sue Lanoë	SHIFT:	0630 to 1830
TEL	(902) 539-3012	CC:	Shawn Bernon, STPA Wilfred Kaiser, STPA Terry Smith, ALL-TECH
FAX	(902) 539-3381	STPA NO.	TP6B-SP-0466
DATE	8 th September, 2010		

**SUBJECT: 7th September, 2010 Real-time Air Monitoring Results
Sydney Tar Ponds Agency – South Pond Solidification and Stabilization
FINAL REPORT**

Attached is a summary of Real-time particulate (as PM₁₀) and Total Volatile Organic Compound (TVOC) concentrations for air monitoring performed on the 7th of September, 2010. Chris MacNeil and Leonard McCuish of ALL-TECH Environmental Services Cape Breton Limited (ALL-TECH) performed all air monitoring activities.

Weather conditions on the day of sampling:

- Mainly cloudy with afternoon showers
- Temperature: approximately 21°C
- Wind Direction: Southwest

Comments: ALL-TECH was on-Site at 0630 hours and sampling began as soon as there was site activity. Air monitoring was performed during site construction activities.

Real-time monitoring for dust as PM₁₀ was accomplished using a hand-held electronic TSI DustTrak aerosol monitor. Real-time monitoring for TVOC was accomplished using the hand-held MiniRAE 2000/3000 Photoionization Detector (PID).

All downwind and upwind concentrations (15-minute averages) of dust as PM₁₀ were below the established Site Action Level for this parameter of 155 µg/m³.

All downwind and upwind concentrations of TVOC were below the established action level for this parameter of 0.66 parts per million (volume) (ppm(v)). Each measurement is the average of a 15 minute sample. A minimum of 2 samples were taken downwind and 1 sample upwind every hour. Levels above detection limit are noted in Table 1.0.

This report continues the practice of using a more conservative approach to estimating the cumulative Daily TVOCs value and forecasting of the Daily Budget for TVOCs (8 ppm(v)). Up to this point, TVOCs concentrations measured below the Detection Limit (DL) of the PID (0.1 ppm(v)) were shown as <DL or Not-detected (ND). There was no addition to the cumulative limit when a value <DL or ND was recorded. ALL-TECH is adopting a more conservative approach in estimating the cumulative value and forecasting the Daily Budget for TVOCs, by assigning a quantitative value of half the Detection Limit (0.5DL or 0.05 ppm(v)) to each measurement recorded at <DL. This recognizes the fact that the concentration could be any value up to the Detection Limit and assigns a mid-point value within the range. There are a number of factors of safety within the calculation of the Daily Limit. The use of 0.5DL for values below the level of detection adds to the conservatism of the approach to management of site activities. However, the comparison of the daily

cumulative results to those from earlier reports will appear to show an increase in TVOCs concentration. It should be recognized that the use of 0.5DL for a 10 h workday will add about 12.5% of the Daily Budget Limit to the cumulative TVOCs concentration because of this change in methodology.

A Single-Sample Level has also been established for TVOC concentration in air at 0.66 ppm(v), or 0.66 ppm. This concentration level is included as *criteria* for the perimeter monitoring program to signal contractors and site managers to the presence of elevated concentrations of TVOCs. It is not linked directly to any health-based standard, but can be thought of as a point of information and communication about the real-time monitoring.

This report has been prepared by Chris MacNeil and reviewed by Jennifer Andrews. If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,



Sue Lanoë
Environmental Engineering Technologist
ALL-TECH Environmental Services Cape Breton Ltd.

Copied via e-mail:

Shawn Bernon	shawn@tarpondscleanup.ca
Wilfred Kaiser	wilfred@tarpondscleanup.ca
George Hennick	george@tarpondscleanup.ca
Nancy LeDrew	nancy@tarpondscleanup.ca
Lorraine MacNeil	lorraine@tarpondscleanup.ca
Jo-Ann MacMaster	joann@tarpondscleanup.ca
Darren Gardiner	dgardiner@croworld.com
Kevin Mac Pherson	kevinmacp@cbcl.ca
Terry Smith	tsmith@toalltech.com
Sue Lanoë	slanoë@alltechenvironmental.com
Darren Lawless	dlawless@toalltech.com
Kelly Morrison	kmorrison@alltechenvironmental.com
Jocelyn MacDonald	sydney@toalltech.com
Kathy Harquail	kharquail@toalltech.com

Table 1.0
Real-time Airborne Dust as PM₁₀ and TVOC Concentration Results
Sydney Tar Ponds Agency – South Pond Solidification and Stabilization

Sample No. & Air Monitoring Location	Sample Start Time	Dust asPM ₁₀ 15 Minute Action Level (µg/m ³)	Dust asPM ₁₀ 15 Minute Average Concentration (µg/m ³)	TVOC Daily Budget Limit (ppm(v))	TVOC 15 Minute Average Concentration (ppm(v)) ¹	Wind Direction	Relative Position Related to Activity	Description of Activity	Observations that may affect sample result ²
1 70m North of Richie St. and Dodd St. intersection (N46°08.527' W060°11.397')	0700	155	11	8.0	0.05	Southwest	Upwind	Background	No observations seen to affect sampling integrity
2 150m Southeast of TP2 building (N46°08.897' W060°11.189')	0700	155	12	8.0	0.05	Southwest	Downwind	No activity observed on site	No observations seen to affect sampling integrity
3 150m Southeast of TP2 building (N46°08.897' W060°11.189')	0735	155	15	8.0	0.05	Southwest	Downwind	Excavator and trucks operating (N46°08.508' W060°11.349')	No observations seen to affect sampling integrity
4 70m North of Richie St. and Dodd St. intersection (N46°08.527' W060°11.397')	0800	155	12	8.0	0.05	Southwest	Upwind	Background	No observations seen to affect sampling integrity
5 150m Southeast of TP2 building (N46°08.897' W060°11.189')	0800	155	11	8.0	0.05	Southwest	Downwind	Excavator and trucks operating (N46°08.508' W060°11.349')	No observations seen to affect sampling integrity

¹ See NOTE (1) at end of Table

² See NOTE (2) at end of Table

Sample No. & Air Monitoring Location	Sample Start Time	Dust asPM ₁₀ 15 Minute Action Level (µg/m ³)	Dust asPM ₁₀ 15 Minute Average Concentration (µg/m ³)	TVOC Daily Budget Limit (ppm(v))	TVOC 15 Minute Average Concentration (ppm(v)) ¹	Wind Direction	Relative Position Related to Activity	Description of Activity	Observations that may affect sample result ²
6 150m Southeast of TP2 building (N46°08.897' W060°11.189')	0820	155	11	8.0	0.05	Southwest	Downwind	Excavator and trucks operating (N46°08.508' W060°11.349')	No observations seen to affect sampling integrity
7 70m North of Richie St. and Dodd St. intersection (N46°08.527' W060°11.397')	0900	155	11	8.0	0.05	Southwest	Upwind	Background	No observations seen to affect sampling integrity
8 150m Southeast of TP2 building (N46°08.897' W060°11.189')	0900	155	12	8.0	0.05	Southwest	Downwind	Excavator and trucks operating (N46°08.508' W060°11.349')	No observations seen to affect sampling integrity
9 150m Southeast of TP2 building (N46°08.897' W060°11.189')	0915	155	19	8.0	0.05	Southwest	Downwind	Excavator and trucks operating (N46°08.508' W060°11.349')	No observations seen to affect sampling integrity
10 70m North of Richie St. and Dodd St. intersection (N46°08.527' W060°11.397')	1000	155	10	8.0	0.05	Southwest	Upwind	Background	No observations seen to affect sampling integrity
11 150m Southeast of TP2 building (N46°08.897' W060°11.189')	1000	155	10	8.0	0.05	Southwest	Downwind	Excavator and trucks operating (N46°08.508' W060°11.349')	No observations seen to affect sampling integrity

Sample No. & Air Monitoring Location	Sample Start Time	Dust asPM ₁₀ 15 Minute Action Level (µg/m ³)	Dust asPM ₁₀ 15 Minute Average Concentration (µg/m ³)	TVOC Daily Budget Limit (ppm(v))	TVOC 15 Minute Average Concentration (ppm(v)) ¹	Wind Direction	Relative Position Related to Activity	Description of Activity	Observations that may affect sample result ²
12 150m Southeast of TP2 building (N46°08.897' W060°11.189')	1030	155	11	8.0	0.05	Southwest	Downwind	Excavator and trucks operating (N46°08.508' W060°11.349')	No observations seen to affect sampling integrity
13 70m North of Richie St. and Dodd St. intersection (N46°08.527' W060°11.397')	1100	155	11	8.0	0.05	Southwest	Upwind	Background	No observations seen to affect sampling integrity
14 150m Southeast of TP2 building (N46°08.897' W060°11.189')	1100	155	14	8.0	0.05	Southwest	Downwind	Excavator and trucks operating (N46°08.508' W060°11.349')	No observations seen to affect sampling integrity
15 150m Southeast of TP2 building (N46°08.897' W060°11.189')	1120	155	18	8.0	0.05	Southwest	Downwind	Excavator and trucks operating (N46°08.508' W060°11.349')	No observations seen to affect sampling integrity
16 70m North of Richie St. and Dodd St. intersection (N46°08.527' W060°11.397')	1200	155	11	8.0	0.05	Southwest	Upwind	Background	No observations seen to affect sampling integrity
17 150m Southeast of TP2 building (N46°08.897' W060°11.189')	1200	155	8	8.0	0.05	Southwest	Downwind	No activity observed on site	No observations seen to affect sampling integrity

Sample No. & Air Monitoring Location	Sample Start Time	Dust asPM ₁₀ 15 Minute Action Level (µg/m ³)	Dust asPM ₁₀ 15 Minute Average Concentration (µg/m ³)	TVOC Daily Budget Limit (ppm(v))	TVOC 15 Minute Average Concentration (ppm(v)) ¹	Wind Direction	Relative Position Related to Activity	Description of Activity	Observations that may affect sample result ²
18 150m Southeast of TP2 building (N46°08.897' W060°11.189')	1215	155	8	8.0	0.05	Southwest	Downwind	No activity observed on site	No observations seen to affect sampling integrity
19 70m North of Richie St. and Dodd St. intersection (N46°08.527' W060°11.397')	1300	155	11	8.0	0.05	Southwest	Upwind	Background	No observations seen to affect sampling integrity
20 150m Southeast of TP2 building (N46°08.897' W060°11.189')	1300	155	8	8.0	0.05	Southwest	Downwind	Excavator and trucks operating (N46°08.508' W060°11.349')	No observations seen to affect sampling integrity
21 150m Southeast of TP2 building (N46°08.897' W060°11.189')	1340	155	37	8.0	0.05	Southwest	Downwind	Excavator and trucks operating (N46°08.508' W060°11.349')	No observations seen to affect sampling integrity
22 70m North of Richie St. and Dodd St. intersection (N46°08.527' W060°11.397')	1400	155	12	8.0	0.05	Southwest	Upwind	Background	No observations seen to affect sampling integrity
23 150m Southeast of TP2 building (N46°08.897' W060°11.189')	1400	155	11	8.0	0.05	Southwest	Downwind	Excavator and trucks operating (N46°08.508' W060°11.349')	No observations seen to affect sampling integrity

Sample No. & Air Monitoring Location	Sample Start Time	Dust asPM ₁₀ 15 Minute Action Level (µg/m ³)	Dust asPM ₁₀ 15 Minute Average Concentration (µg/m ³)	TVOC Daily Budget Limit (ppm(v))	TVOC 15 Minute Average Concentration (ppm(v)) ¹	Wind Direction	Relative Position Related to Activity	Description of Activity	Observations that may affect sample result ²
24 150m Southeast of TP2 building (N46°08.897' W060°11.189')	1420	155	13	8.0	0.05	Southwest	Downwind	Excavator and trucks operating (N46°08.508' W060°11.349')	No observations seen to affect sampling integrity
25 70m North of Richie St. and Dodd St. intersection (N46°08.527' W060°11.397')	1500	155	15	8.0	0.05	Southwest	Upwind	Background	No observations seen to affect sampling integrity
27 150m Southeast of TP2 building (N46°08.897' W060°11.189')	1500	155	13	8.0	0.05	Southwest	Downwind	Excavator and trucks operating (N46°08.508' W060°11.349')	No observations seen to affect sampling integrity
28 150m Southeast of TP2 building (N46°08.897' W060°11.189')	1530	155	17	8.0	0.05	Southwest	Downwind	Excavator and trucks operating (N46°08.508' W060°11.349')	No observations seen to affect sampling integrity
29 70m North of Richie St. and Dodd St. intersection (N46°08.527' W060°11.397')	1600	155	15	8.0	0.05	Southwest	Upwind	Background	No observations seen to affect sampling integrity
30 150m Southeast of TP2 building (N46°08.897' W060°11.189')	1600	155	14	8.0	0.05	Southwest	Downwind	Excavator and trucks operating (N46°08.508' W060°11.349')	No observations seen to affect sampling integrity

Sample No. & Air Monitoring Location	Sample Start Time	Dust asPM ₁₀ 15 Minute Action Level (µg/m ³)	Dust asPM ₁₀ 15 Minute Average Concentration (µg/m ³)	TVOC Daily Budget Limit (ppm(v))	TVOC 15 Minute Average Concentration (ppm(v)) ¹	Wind Direction	Relative Position Related to Activity	Description of Activity	Observations that may affect sample result ²
31 150m Southeast of TP2 building (N46°08.897' W060°11.189')	1620	155	16	8.0	0.05	Southwest	Downwind	Excavator and trucks operating (N46°08.508' W060°11.349')	No observations seen to affect sampling integrity
32 70m North of Richie St. and Dodd St. intersection (N46°08.527' W060°11.397')	1700	155	40	8.0	0.05	Southwest	Upwind	Background	No observations seen to affect sampling integrity
33 150m Southeast of TP2 building (N46°08.897' W060°11.189')	1700	155	14	8.0	0.05	Southwest	Downwind	No activity observed on site	No observations seen to affect sampling integrity
34 150m Southeast of TP2 building (N46°08.897' W060°11.189')	1730	155	14	8.0	0.05	Southwest	Downwind	No activity observed on site	No observations seen to affect sampling integrity

Notes: (1) The Detection Limit for VOCs using the PID is 0.1 ppm(v). Values less than the Detection Limit (<DL) or Not-detected (ND) are recorded at half the DL (0.05 ppm(v)) to provide a more conservative approach for the daily cumulative value, than assigning 0 ppm(v) for all values measured as <DL or ND. Hence, values in the table of 0.05 ppm(v) will have been recorded as <DL (or ND).

(2) Once the sample is started, it is completed at that location regardless of wind change during the 15 minutes. Significant wind changes, if any, during sampling would be noted in Observations.

*ND denotes that the result was below the instrument detection limit.

**Air sample duration for each monitoring event was 15 minutes. Highlighted rows (cream) are downwind samples; rows with no colour fill are upwind samples, in relation to the activity

Table 2.0
Comparison of Downwind Daily Results for Dust (as PM₁₀) Budget

Item ID for Reference	Location	Duration	Hourly Dust Concentration Average (µg/m ³)	Actual Cumulative Dust Budget Value (µg/m ³)	Dust Budget Exceedance Value (µg/m ³) ⁽¹⁾	Remaining Dust Budget Value (µg/m ³)	Forecasted Dust Budget (µg/m ³)
1	150m Southeast of TP2 building	0700 to 0759	14	14	1005	991	306
2	150m Southeast of TP2 building	0800 to 0859	11	25	1005	980	284
3	150m Southeast of TP2 building	0900 to 0959	16	41	1005	964	269
4	150m Southeast of TP2 building	1000 to 1059	11	52	1005	953	246
5	150m Southeast of TP2 building	1100 to 1159	16	68	1005	937	230
6	150m Southeast of TP2 building	1200 to 1259	8	76	1005	929	205
7	150m Southeast of TP2 building	1300 to 1359	23	99	1005	906	201
8	150m Southeast of TP2 building	1400 to 1459	12	111	1005	894	180
9	150m Southeast of TP2 building	1500 to 1559	15	126	1005	879	162
10	150m Southeast of TP2 building	1600 to 1659	15	141	1005	864	177
11	150m Southeast of TP2 building	1700 to 1759	14	155	1005	850	153

Notes: (1) Based on projected length of workday.

Budet (Forecast): $990 \mu\text{g}/\text{m}^3 > (\text{Budget to that point}) + (\text{Highest hourly average to that point} \times 1\text{hr}) + (33 \mu\text{g}/\text{m}^3 \times (\text{remaining work hours} - 1\text{ hour}))$

This is based on a 10-h workday, but the formula would be modified to add $15 \mu\text{g}/\text{m}^3$ as background for each hour beyond 10, up to a total of 15 hours.

***Individual values may not add to totals or accumulated values shown because of statistical rounding**

Table 3.0
Comparison of Downwind Daily Results for TVOC Budget

Item ID for Reference	Location	Duration	Hourly Total of TVOC Readings (ppm(v))	Cumulative TVOC Hourly Readings (ppm(v))	TVOC Budget Limit Value (ppm(v))	Remaining TVOC Budget Value (ppm(v))	Sustained Odours Observed (YES/NO)
1	150m Southeast of TP2 building	0700 to 0759	0.1	0.1	8.0	7.9	NO
2	150m Southeast of TP2 building	0800 to 0859	0.1	0.2	8.0	7.8	NO
3	150m Southeast of TP2 building	0900 to 0959	0.1	0.3	8.0	7.7	NO
4	150m Southeast of TP2 building	1000 to 1059	0.1	0.4	8.0	7.6	NO
5	150m Southeast of TP2 building	1100 to 1159	0.1	0.5	8.0	7.5	NO
6	150m Southeast of TP2 building	1200 to 1259	0.1	0.6	8.0	7.4	NO
7	150m Southeast of TP2 building	1300 to 1359	0.1	0.7	8.0	7.3	NO
8	150m Southeast of TP2 building	1400 to 1459	0.1	0.8	8.0	7.2	NO
9	150m Southeast of TP2 building	1500 to 1559	0.1	0.9	8.0	7.1	NO
10	150m Southeast of TP2 building	1600 to 1659	0.1	1.00	8.0	7.0	NO
11	150m Southeast of TP2 building	1700 to 1759	0.1	1.10	8.0	6.9	NO

Calculations

- **Hourly Average for Dust as PM_{10} ($\mu\text{g}/\text{m}^3$) = the average of all downwind 15 minute readings within one hour**
- **Actual PM_{10} Cumulative Dust Budget ($\mu\text{g}/\text{m}^3$) = the sum of all downwind hourly averages**
- **Forecasted Dust Budget Value ($\mu\text{g}/\text{m}^3$) = $990 \mu\text{g}/\text{m}^3 > (\text{Budget to that point}) + (\text{Highest hourly average to that point} \times 1\text{hr}) + (33 \mu\text{g}/\text{m}^3 \text{ as background} \times (\text{remaining work hours} - 1 \text{ hour}))$**

This is based on a 10-h workday, but the formula would be modified to add $15 \mu\text{g}/\text{m}^3$ as background for each hour beyond 10, up to a total of 15 hours.